


WiFi 6E (802.11ax) 4x4 MU-MIMO OFDMA 6GHz Single Band Wireless Module

Model: PN02.7



KEY FEATURES

- Qualcomm Atheros QCN9024/9074
- 6GHz, 4x4 MU-MIMO OFDMA Technology, up to 4804Mbps physical data rate
- Single Band 6GHz 4x4 WiFi 6E (802.11ax)
- M.2 E Key interface with PCIe 3.0
- 4 spatial streams (4SS)

Specifications

Chipset	Qualcomm Atheros QCN9024/9074 'PINE' Series
System Memory	2Mbit serial I ² C bus EEPROM
Reference Design	Qualcomm Atheros PN02.7
Host Interface	M.2 E Key interface with PCIe 3.0
Operating Voltage	5V
Power Consumption	16W
Wireless	6GHz 802.11a/n/ac/ax, max 20dBm per chain 4x U.FL Connectors
Frequency Range	5.925~7.125GHz
Modulation Techniques	OFDMA: BPSK, QPSK, DBPSK, DQPSK, 16-QAM, 64-QAM, 256-QAM, 1024-QAM, 4096-QAM
Channel Spectrum Widths for WLAN	Supports 20/40/80/160MHz at 6GHz
Operating Systems	OpenWRT
Certification	REACH and RoHS Compliance
Environmental Temperature	Operating: -20°C to 70°C, Storage: -40°C to 90°C
Environmental Humidity, Non-Condensing	Operating: 5% to 95%, Storage: Max. 90%
Dimensions (W x H x D) in mm	57 x 60 x 6.3

*Configurations are subject to change without notifications.

RF Performance Table for 6GHz

	Data Rate	TX Power (per chain)	TX Power (4 chains)	Tolerance
6GHz 802.11a	6Mbps	20dBm	26dBm	±2dB
	9Mbps	20dBm	26dBm	±2dB
	12Mbps	20dBm	26dBm	±2dB
	18Mbps	20dBm	26dBm	±2dB
	24Mbps	20dBm	26dBm	±2dB
	36Mbps	20dBm	26dBm	±2dB
	48Mbps	20dBm	26dBm	±2dB
	54Mbps	20dBm	26dBm	±2dB
6GHz 802.11n/ac VHT20	MCS 0	20dBm	26dBm	±2dB
	MCS 1	20dBm	26dBm	±2dB
	MCS 2	20dBm	26dBm	±2dB
	MCS 3	20dBm	26dBm	±2dB
	MCS 4	20dBm	26dBm	±2dB
	MCS 5	20dBm	26dBm	±2dB
	MCS 6	20dBm	26dBm	±2dB
	MCS 7	20dBm	26dBm	±2dB
6GHz 802.11n/ac VHT40	MCS 8	16dBm	22dBm	±2dB
	MCS 0	20dBm	26dBm	±2dB
	MCS 1	20dBm	26dBm	±2dB
	MCS 2	20dBm	26dBm	±2dB
	MCS 3	20dBm	26dBm	±2dB
	MCS 4	20dBm	26dBm	±2dB
	MCS 5	20dBm	26dBm	±2dB
	MCS 6	20dBm	26dBm	±2dB
	MCS 7	20dBm	26dBm	±2dB
	MCS 8	16dBm	22dBm	±2dB
MCS 9	16dBm	22dBm	±2dB	
6GHz 802.11ac VHT80	MCS 0	20dBm	26dBm	±2dB
	MCS 1	20dBm	26dBm	±2dB
	MCS 2	20dBm	26dBm	±2dB
	MCS 3	20dBm	26dBm	±2dB
	MCS 4	20dBm	26dBm	±2dB
	MCS 5	20dBm	26dBm	±2dB
	MCS 6	20dBm	26dBm	±2dB
	MCS 7	20dBm	26dBm	±2dB
	MCS 8	16dBm	22dBm	±2dB
	MCS 9	16dBm	22dBm	±2dB

	Data Rate	RX Specifications Sensitivity	Tolerance
6GHz 802.11a	6Mbps	TBD	±2dB
	9Mbps	TBD	±2dB
	12Mbps	TBD	±2dB
	18Mbps	TBD	±2dB
	24Mbps	TBD	±2dB
	36Mbps	TBD	±2dB
	48Mbps	TBD	±2dB
	54Mbps	TBD	±2dB
6GHz 802.11n/ac VHT20	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
6GHz 802.11n/ac VHT40	MCS 8	TBD	±2dB
	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
	MCS 8	TBD	±2dB
MCS 9	TBD	±2dB	
6GHz 802.11ac VHT80	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
	MCS 8	TBD	±2dB
	MCS 9	TBD	±2dB

RF Performance Table for 6GHz

	Data Rate	TX Power (per chain)	TX Power (4 chains)	Tolerance
6GHz 802.11ax HE20	MCS 0	20dBm	26dBm	±2dB
	MCS 1	20dBm	26dBm	±2dB
	MCS 2	20dBm	26dBm	±2dB
	MCS 3	20dBm	26dBm	±2dB
	MCS 4	20dBm	26dBm	±2dB
	MCS 5	20dBm	26dBm	±2dB
	MCS 6	20dBm	26dBm	±2dB
	MCS 7	20dBm	26dBm	±2dB
	MCS 8	16dBm	22dBm	±2dB
	MCS 9	16dBm	22dBm	±2dB
	MCS 10	14dBm	20dBm	±2dB
	MCS 11	14dBm	20dBm	±2dB
	MCS 12	13dBm	19dBm	±2dB
MCS 13	13dBm	19dBm	±2dB	
6GHz 802.11ax HE40	MCS 0	20dBm	26dBm	±2dB
	MCS 1	20dBm	26dBm	±2dB
	MCS 2	20dBm	26dBm	±2dB
	MCS 3	20dBm	26dBm	±2dB
	MCS 4	20dBm	26dBm	±2dB
	MCS 5	20dBm	26dBm	±2dB
	MCS 6	20dBm	26dBm	±2dB
	MCS 7	20dBm	26dBm	±2dB
	MCS 8	16dBm	22dBm	±2dB
	MCS 9	16dBm	22dBm	±2dB
	MCS 10	14dBm	20dBm	±2dB
	MCS 11	14dBm	20dBm	±2dB
	MCS 12	13dBm	19dBm	±2dB
MCS 13	13dBm	19dBm	±2dB	
6GHz 802.11ax HE80	MCS 0	20dBm	26dBm	±2dB
	MCS 1	20dBm	26dBm	±2dB
	MCS 2	20dBm	26dBm	±2dB
	MCS 3	20dBm	26dBm	±2dB
	MCS 4	20dBm	26dBm	±2dB
	MCS 5	20dBm	26dBm	±2dB
	MCS 6	20dBm	26dBm	±2dB
	MCS 7	20dBm	26dBm	±2dB
	MCS 8	16dBm	22dBm	±2dB
	MCS 9	16dBm	22dBm	±2dB
	MCS 10	14dBm	20dBm	±2dB
	MCS 11	14dBm	20dBm	±2dB
	MCS 12	13dBm	19dBm	±2dB
MCS 13	13dBm	19dBm	±2dB	


	Data Rate	RX Specifications Sensitivity	Tolerance
6GHz 802.11ax HE20	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
	MCS 8	TBD	±2dB
	MCS 9	TBD	±2dB
	MCS 10	TBD	±2dB
	MCS 11	TBD	±2dB
	MCS 12	TBD	±2dB
MCS 13	TBD	±2dB	
6GHz 802.11ax HE40	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
	MCS 8	TBD	±2dB
	MCS 9	TBD	±2dB
	MCS 10	TBD	±2dB
	MCS 11	TBD	±2dB
	MCS 12	TBD	±2dB
MCS 13	TBD	±2dB	
6GHz 802.11ax HE80	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
	MCS 8	TBD	±2dB
	MCS 9	TBD	±2dB
	MCS 10	TBD	±2dB
	MCS 11	TBD	±2dB
	MCS 12	TBD	±2dB
MCS 13	TBD	±2dB	

RF Performance Table for 6GHz



	Data Rate	TX Power (per chain)	TX Power (4 chains)	Tolerance
6GHz 802.11ax HE160	MCS 0	19dBm	25dBm	±2dB
	MCS 1	19dBm	25dBm	±2dB
	MCS 2	19dBm	25dBm	±2dB
	MCS 3	19dBm	25dBm	±2dB
	MCS 4	18dBm	24dBm	±2dB
	MCS 5	18dBm	24dBm	±2dB
	MCS 6	18dBm	24dBm	±2dB
	MCS 7	18dBm	24dBm	±2dB
	MCS 8	14dBm	20dBm	±2dB
	MCS 9	14dBm	20dBm	±2dB
	MCS 10	10dBm	16dBm	±2dB
	MCS 11	10dBm	16dBm	±2dB
	MCS 12	10dBm	16dBm	±2dB
MCS 13	10dBm	16dBm	±2dB	

	Data Rate	RX Specifications Sensitivity	Tolerance
6GHz 802.11ax HE160	MCS 0	TBD	±2dB
	MCS 1	TBD	±2dB
	MCS 2	TBD	±2dB
	MCS 3	TBD	±2dB
	MCS 4	TBD	±2dB
	MCS 5	TBD	±2dB
	MCS 6	TBD	±2dB
	MCS 7	TBD	±2dB
	MCS 8	TBD	±2dB
	MCS 9	TBD	±2dB
	MCS 10	TBD	±2dB
	MCS 11	TBD	±2dB
	MCS 12	TBD	±2dB
MCS 13	TBD	±2dB	

Component Map



Mechanical Dimensions



All dimensions are in mm.

Item Code	Model	Description
RA.PN02.7 8A00PML-TE	PN02.7	4x4 802.11a/n/ac/ax support 6GHz M.2 Module