


WiFi 7 (802.11BE) 2x2 MU-MIMO 5+6GHz Dual Band Dual Concurrent Wireless Module

Model: WLW7002E56



KEY FEATURES

- Qualcomm QCN6274 'Waikiki' series for Commercial grade
- Qualcomm QCN9274 'Waikiki' series for Industrial grade
- 5GHz, 2x2 MU-MIMO, up to 2882 Mbps physical data rate
- 6GHz, 2x2 MU-MIMO, up to 5765 Mbps physical data rate
- Dual-Band Concurrent 5+6GHz WiFi 7 (802.11be)
- M.2 E Key interface with PCIe 3.0
- Based on WK01.7 reference design
- Supports up to 4096-QAM
- -20°C to 70°C operating temperature for commercial grade
- -40°C to 85°C operating temperature for industrial grade

Specifications

Chipset	Qualcomm QCN6274 'Waikiki' series for Commercial grade Qualcomm QCN9274 'Waikiki' series for Industrial grade
System Memory	2Mbit serial I ² C bus EEPROM
Reference Design	WK01.7
Host Interface	M.2 E Key interface with PCIe 3.0
Operating Voltage	5V
Power Consumption	13.6W
Wireless	5GHz 802.11a/n/ax/be, max 22 dBm per chain 6GHz 802.11a/n/ax/be, max 21 dBm per chain 4x U.FL Connectors
Frequency Range	5GHz: 5.150~5.825GHz 6GHz: 5.945~7.125GHz
Modulation Techniques	OFDMA: BPSK, QPSK, DBPSK, DQPSK, 16-QAM, 64-QAM, 256-QAM, 1024QAM, 4096QAM
Channel Spectrum Widths for WLAN	Supports 20/40/80/160 MHz at 5GHz Supports 20/40/80/160/320 MHz at 6GHz
Operating Systems	OpenWRT
Certification	REACH & RoHS Compliance
Environmental Temperature	Operating(Commercial Grade): -20°C to 70°C, Storage: -40°C to 90°C Operating(Industrial Grade) : -40°C to 85°C, Storage: -40°C to 90°C
Environmental Humidity, Non-Condensing	Operating: 5% to 95%, Storage: Max. 90%
Dimensions (W x H x D) in mm	62.7 X 57 X 15 mm

*Configurations are subject to change without notifications.

**Can be requested from respective sales executive.

Copyright © Complex Systems. All rights reserved. COMPEX and the COMPEX logo, are registered trademarks of Complex Systems Pte Ltd. While every effort is made to ensure the information is accurate, Complex does not accept liability for any errors or mistakes that may arise. All specifications are subject to change without notice.

RF Performance Table at 5 GHz

	Data Rate	TX Power (per chain)	TX Power (2 chains)	Tolerance
5GHz 802.11be EHT20	MCS 0	22dBm	25dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB
	MCS 4	22dBm	25dBm	±2dB
	MCS 5	22dBm	25dBm	±2dB
	MCS 6	21dBm	24dBm	±2dB
	MCS 7	21dBm	24dBm	±2dB
	MCS 8	20dBm	23dBm	±2dB
	MCS 9	20dBm	23dBm	±2dB
	MCS 10	19dBm	22dBm	±2dB
	MCS 11	19dBm	22dBm	±2dB
	MCS 12	18dBm	21dBm	±2dB
	MCS 13	18dBm	21dBm	±2dB
5GHz 802.11be EHT40	MCS 0	22dBm	25dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB
	MCS 4	22dBm	25dBm	±2dB
	MCS 5	22dBm	25dBm	±2dB
	MCS 6	21dBm	24dBm	±2dB
	MCS 7	21dBm	24dBm	±2dB
	MCS 8	20dBm	23dBm	±2dB
	MCS 9	20dBm	23dBm	±2dB
	MCS 10	19dBm	22dBm	±2dB
	MCS 11	19dBm	22dBm	±2dB
	MCS 12	18dBm	21dBm	±2dB
	MCS 13	18dBm	21dBm	±2dB
5GHz 802.11be EHT80	MCS 0	22dBm	25dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB
	MCS 4	22dBm	25dBm	±2dB
	MCS 5	22dBm	25dBm	±2dB
	MCS 6	21dBm	24dBm	±2dB
	MCS 7	21dBm	24dBm	±2dB
	MCS 8	20dBm	23dBm	±2dB
	MCS 9	19dBm	22dBm	±2dB
	MCS 10	19dBm	22dBm	±2dB
	MCS 11	19dBm	22dBm	±2dB
	MCS 12	18dBm	21dBm	±2dB
	MCS 13	18dBm	21dBm	±2dB

	Data Rate	RX Specifications Sensitivity	Tolerance
5GHz 802.11be EHT20	MCS 0	-96dBm	±2dB
	MCS 1	-92dBm	±2dB
	MCS 2	-89dBm	±2dB
	MCS 3	-85dBm	±2dB
	MCS 4	-84dBm	±2dB
	MCS 5	-80dBm	±2dB
	MCS 6	-78dBm	±2dB
	MCS 7	-76dBm	±2dB
	MCS 8	-72dBm	±2dB
	MCS 9	-70dBm	±2dB
	MCS 10	-66dBm	±2dB
	MCS 11	-64dBm	±2dB
	MCS 12	-60dBm	±2dB
	MCS 13	-58dBm	±2dB
5GHz 802.11be EHT40	MCS 0	-92dBm	±2dB
	MCS 1	-90dBm	±2dB
	MCS 2	-87dBm	±2dB
	MCS 3	-83dBm	±2dB
	MCS 4	-82dBm	±2dB
	MCS 5	-77dBm	±2dB
	MCS 6	-75dBm	±2dB
	MCS 7	-73dBm	±2dB
	MCS 8	-70dBm	±2dB
	MCS 9	-68dBm	±2dB
	MCS 10	-64dBm	±2dB
	MCS 11	-61dBm	±2dB
	MCS 12	-58dBm	±2dB
	MCS 13	-56dBm	±2dB
5GHz 802.11be EHT80	MCS 0	-90dBm	±2dB
	MCS 1	-86dBm	±2dB
	MCS 2	-84dBm	±2dB
	MCS 3	-81dBm	±2dB
	MCS 4	-78dBm	±2dB
	MCS 5	-74dBm	±2dB
	MCS 6	-71dBm	±2dB
	MCS 7	-70dBm	±2dB
	MCS 8	-66dBm	±2dB
	MCS 9	-63dBm	±2dB
	MCS 10	-60dBm	±2dB
	MCS 11	-58dBm	±2dB
	MCS 12	-55dBm	±2dB
	MCS 13	-52dBm	±2dB

RF Performance Table at 5 GHz

	Data Rate	TX Power (per chain)	TX Power (2 chains)	Tolerance
5GHz 802.11be EHT160	MCS 0	22dBm	25dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB
	MCS 4	22dBm	25dBm	±2dB
	MCS 5	22dBm	25dBm	±2dB
	MCS 6	21dBm	24dBm	±2dB
	MCS 7	21dBm	24dBm	±2dB
	MCS 8	20dBm	23dBm	±2dB
	MCS 9	19dBm	22dBm	±2dB
	MCS 10	19dBm	22dBm	±2dB
	MCS 11	19dBm	22dBm	±2dB
	MCS 12	18dBm	21dBm	±2dB
	MCS 13	18dBm	21dBm	±2dB

	Data Rate	RX Specifications Sensitivity	Tolerance
5GHz 802.11be EHT160	MCS 0	-87dBm	±2dB
	MCS 1	-83dBm	±2dB
	MCS 2	-80dBm	±2dB
	MCS 3	-78dBm	±2dB
	MCS 4	-74dBm	±2dB
	MCS 5	-70dBm	±2dB
	MCS 6	-68dBm	±2dB
	MCS 7	-66dBm	±2dB
	MCS 8	-63dBm	±2dB
	MCS 9	-61dBm	±2dB
	MCS 10	-57dBm	±2dB
	MCS 11	-55dBm	±2dB
	MCS 12	-52dBm	±2dB
	MCS 13	-50dBm	±2dB

RF Performance Table at 6GHz

	Data Rate	TX Power (per chain)	TX Power (2 chains)	Tolerance		Data Rate	RX Specifications Sensitivity	Tolerance
6GHz 802.11be EHT20	MCS 0	22dBm	25dBm	±2dB	6GHz 802.11be EHT20	MCS 0	-93dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB		MCS 1	-91dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB		MCS 2	-88dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB		MCS 3	-85dBm	±2dB
	MCS 4	21dBm	24dBm	±2dB		MCS 4	-82dBm	±2dB
	MCS 5	20dBm	23dBm	±2dB		MCS 5	-79dBm	±2dB
	MCS 6	19dBm	22dBm	±2dB		MCS 6	-77dBm	±2dB
	MCS 7	19dBm	22dBm	±2dB		MCS 7	-75dBm	±2dB
	MCS 8	18dBm	21dBm	±2dB		MCS 8	-71dBm	±2dB
	MCS 9	17dBm	20dBm	±2dB		MCS 9	-68dBm	±2dB
	MCS 10	17dBm	20dBm	±2dB		MCS 10	-66dBm	±2dB
	MCS 11	17dBm	20dBm	±2dB		MCS 11	-63dBm	±2dB
	MCS 12	16dBm	19dBm	±2dB		MCS 12	-60dBm	±2dB
	MCS 13	16dBm	19dBm	±2dB		MCS 13	-57dBm	±2dB
6GHz 802.11be EHT40	MCS 0	22dBm	25dBm	±2dB	6GHz 802.11be EHT40	MCS 0	-91dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB		MCS 1	-89dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB		MCS 2	-86dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB		MCS 3	-83dBm	±2dB
	MCS 4	21dBm	24dBm	±2dB		MCS 4	-80dBm	±2dB
	MCS 5	20dBm	23dBm	±2dB		MCS 5	-76dBm	±2dB
	MCS 6	19dBm	22dBm	±2dB		MCS 6	-74dBm	±2dB
	MCS 7	19dBm	22dBm	±2dB		MCS 7	-72dBm	±2dB
	MCS 8	18dBm	21dBm	±2dB		MCS 8	-69dBm	±2dB
	MCS 9	17dBm	20dBm	±2dB		MCS 9	-67dBm	±2dB
	MCS 10	17dBm	20dBm	±2dB		MCS 10	-63dBm	±2dB
	MCS 11	17dBm	20dBm	±2dB		MCS 11	-60dBm	±2dB
	MCS 12	16dBm	19dBm	±2dB		MCS 12	-57dBm	±2dB
	MCS 13	16dBm	19dBm	±2dB		MCS 13	-55dBm	±2dB
6GHz 802.11be EHT80	MCS 0	22dBm	25dBm	±2dB	6GHz 802.11be EHT80	MCS 0	-89dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB		MCS 1	-86dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB		MCS 2	-83dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB		MCS 3	-80dBm	±2dB
	MCS 4	21dBm	24dBm	±2dB		MCS 4	-77dBm	±2dB
	MCS 5	20dBm	23dBm	±2dB		MCS 5	-72dBm	±2dB
	MCS 6	19dBm	22dBm	±2dB		MCS 6	-70dBm	±2dB
	MCS 7	19dBm	22dBm	±2dB		MCS 7	-68dBm	±2dB
	MCS 8	18dBm	21dBm	±2dB		MCS 8	-65dBm	±2dB
	MCS 9	17dBm	20dBm	±2dB		MCS 9	-63dBm	±2dB
	MCS 10	17dBm	20dBm	±2dB		MCS 10	-60dBm	±2dB
	MCS 11	17dBm	20dBm	±2dB		MCS 11	-57dBm	±2dB
	MCS 12	16dBm	19dBm	±2dB		MCS 12	-54dBm	±2dB
	MCS 13	16dBm	19dBm	±2dB		MCS 13	-52dBm	±2dB


RF Performance Table at 6 GHz

	Data Rate	TX Power (per chain)	TX Power (2 chains)	Tolerance
6GHz 802.11be EHT160	MCS 0	22dBm	25dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB
	MCS 4	21dBm	24dBm	±2dB
	MCS 5	20dBm	23dBm	±2dB
	MCS 6	19dBm	22dBm	±2dB
	MCS 7	19dBm	22dBm	±2dB
	MCS 8	18dBm	21dBm	±2dB
	MCS 9	17dBm	20dBm	±2dB
	MCS 10	17dBm	20dBm	±2dB
	MCS 11	17dBm	20dBm	±2dB
	MCS 12	16dBm	19dBm	±2dB
	MCS 13	16dBm	19dBm	±2dB
6GHz 802.11be EHT320	MCS 0	22dBm	25dBm	±2dB
	MCS 1	22dBm	25dBm	±2dB
	MCS 2	22dBm	25dBm	±2dB
	MCS 3	22dBm	25dBm	±2dB
	MCS 4	21dBm	24dBm	±2dB
	MCS 5	20dBm	23dBm	±2dB
	MCS 6	19dBm	22dBm	±2dB
	MCS 7	19dBm	22dBm	±2dB
	MCS 8	18dBm	21dBm	±2dB
	MCS 9	17dBm	20dBm	±2dB
	MCS 10	17dBm	20dBm	±2dB
	MCS 11	17dBm	20dBm	±2dB
	MCS 12	16dBm	19dBm	±2dB
	MCS 13	16dBm	19dBm	±2dB


	Data Rate	RX Specifications Sensitivity	Tolerance
6GHz 802.11be EHT160	MCS 0	-85dBm	±2dB
	MCS 1	-83dBm	±2dB
	MCS 2	-80dBm	±2dB
	MCS 3	-78dBm	±2dB
	MCS 4	-74dBm	±2dB
	MCS 5	-69dBm	±2dB
	MCS 6	-67dBm	±2dB
	MCS 7	-66dBm	±2dB
	MCS 8	-62dBm	±2dB
	MCS 9	-60dBm	±2dB
	MCS 10	-57dBm	±2dB
	MCS 11	-54dBm	±2dB
	MCS 12	-51dBm	±2dB
	MCS 13	-49dBm	±2dB
6GHz 802.11be EHT320	MCS 0	-83dBm	±2dB
	MCS 1	-80dBm	±2dB
	MCS 2	-76dBm	±2dB
	MCS 3	-73dBm	±2dB
	MCS 4	-71dBm	±2dB
	MCS 5	-66dBm	±2dB
	MCS 6	-64dBm	±2dB
	MCS 7	-62dBm	±2dB
	MCS 8	-59dBm	±2dB
	MCS 9	-57dBm	±2dB
	MCS 10	-53dBm	±2dB
	MCS 11	-51dBm	±2dB
	MCS 12	-48dBm	±2dB
	MCS 13	-46dBm	±2dB

Component Map

U.FL Connectors



Mechanical Dimensions



All dimensions are in mm.

Ordering Configuration

Item Code	Model	Description
WLW7002E56 8A0674S-TE	WLW7002E56	QCN6274 2x2 802.11a/b/g/n/ac/ax/be support 5+6GHz Dual-Band Concurrent M.2 E Key interface with PCIe 3.0
WLW7002E56 8A0974S-TE	WLW7002E56-I	QCN9274 2x2 802.11a/b/g/n/ac/ax/be support 5+6GHz Dual-Band Concurrent M.2 E Key interface with PCIe 3.0